Gulletta.




Technical specifications

	1.4 TB 88kW
CHARACTERISTICS	
Number of cylinders, layout	4
Bore and stroke (mm)	72x84
Displacement (cc)	1368
Compression ratio	9.8:1
Maximum power output kW (HP - EC) at rpm (DYNAMIC)	88/120 at 5000 rpm
Peak torque Nm (kgm-EC) at rpm (DYNAMIC)	206 (21.0) at 1750 rpm
Distribution (control)	Toothed belt with hydraulic tappets with fixed timing
Fuel supply	MPFI supercharged through exhaust gas turbocharger with intercooler
Start&Stop system for automatic engine stopping/starting for short stops during city driving, useful for optimising fuel consumption and ${\rm CO_2}$ emissions	Standard
ELECTRICAL SYSTEM (12V)	
Battery: capacity (Ah)/Generator (A)	63 Ah/450
TRANSMISSION	
Traction	Front
Gearbox	6-speed manual
TYRES	
Standard version	205/55 R16
STEERING	
Steering box	Dual Pinion
Turning circle (kerb to kerb) (m)	10.9
SUSPENSION	
Front	Advanced MacPherson with aluminium pillar, hollow anti-roll bar fitted on connecting rod
Rear	Multilink with auxiliary frame and aluminium wishbones and anti-roll bar
BRAKES (DISCS)	
Front (mm)	281
Rear (mm)	264
	·
CAPACITIES - WEIGHTS	200
Fuel tank (I) Kork under the DIN (leg)	60
Kerb weight DIN (kg)	1280
Max. towable weight (kg)	1300
PERFORMANCE	
Max. speed (km/h)	195
Acceleration (driver + 30 kg) 0-100 km/h (s)	9.4
FUEL CONSUMPTION - EMISSIONS In accordance with Dire	ctive 1999/100/EC
Consumption (I/100 km) urban cycle	8.4
Extra-urban cycle	5.3
Combined cycle	6.4
CO ₂ emissions (g/km)	149
Environmental classification	Euro 5

1.4 TB MultiAir 125kW	1750 TBi 173kW	
4	4	
72x84	83x80.5	
1368	1742	
9.8:1	9.2:1	
125/170 at 5500 rpm	173/235 at 5500 rpm	
250 (25.4) at 2500 rpm	340 (34.6) at 1900 rpm	
Toothed belt with hydraulic tappets and intake side MultiAir system	Two continuously variable valve timing units and toothed belt with hydraulic tappets	
MPFI supercharged and MultiAir direct valve control system, intercooler	Direct petrol injection and turbocharging with scavenging system and intercooler	
Standard	Not available	
63 Ah/450	60 Ah/540	
Front	Front	
6-speed manual	6-speed manual	
225/45 R17	225/45 R17	
Dual Pinion	Dual Pinion	
10.9	10.9	
Advanced MacPherson with aluminium pillar, hollow anti-roll bar fitted on connecting rod		
Multilink with auxiliary frame and aluminium wishbones and anti-roll bar		
material wallery name and distributed and distributed and distributed		
205	220	
305	330	
264	278	
60	60	
1290	1320	
1300	1300	
218	242	
7.8	6.8	
7.8	10.8	
4.6	5.8	
5.8	7.6	
134	177	
Euro 5	Euro 5	

Bodywork colours



PROGRESSION TRIM LEVEL

- · Alfa Romeo D.N.A.
- . VDC with Hill Holder, Electronic Q2 and DST
- Start&Stop
- . Dual Pinion active steering
- . 16" alloy wheels
- · Rear spoiler
- · Electric door mirrors with car-coloured paint
- · On-board instrumentation with Trip Computer
- · Manual climate control system
- Radio CD/MP3 with six speakers
- Blue&Me™
- · Front and rear electric windows
- · Interiors with Sprint fabric

DISTINCTIVE TRIM LEVEL

As Progression, plus:

- . 17" sports alloy wheels with 225/45 tyres
- Exterior chrome line (chrome-plated window frame)
- Front fog lights
- · Leather steering wheel
- · Radio controls on steering wheel
- · On-board instrumentation with configurable display + Trip Computer
- · Automatic dual-zone climate control system
- · Front armrest with storage compartment
- · Interiors with Competizione fabric

QUADRIFOGLIO VERDE TRIM LEVEL As Distinctive, plus:

- · 17" special alloy wheels
- · Cruise control
- . Sports ride with low suspension
- · Side skirts
- · Oversize braking system with painted red brake calipers
- · Quadrifoglio Verde Ingo
- · Headlights with dark finish
- · Tinted windows
- · Satinised door mirror fairings
- · Black interiors
- · Dark brushed aluminium dashboard inserts
- · Interiors in leather and microfibre fabric with red stitching
- · Steering wheel in leather with red stitching
- · Aluminium sports pedal unit

Seats

Sprint fabric Competizione fabric









298 Black

168

Black

Black with red stitching

Leather









423 - 923 Black with "cannelloni" rolls with red stitching

401 - 901 Red with "cannelloni" rolls with red stitching

402 - 408 Woven black

Black/Grey

495 - 465 Woven natural

