

MARKET LEADER

- This versatile product is suitable for most entrance control.
- Boomgate Systems offer a wide range of options to compliment any prestige installation.
- Exported worldwide.





APPLICATIONS:

- Banks, reception areas, airports, leisure facilities, museums and railway stations.
- Any application where high volume access needs to be controlled with a medium level of security.



DESIGNED FOR:

- Interior or covered exterior.
- Extreme access control with high through put.



CONFIGURATIONS:

- Narrow Lane Gate opening 540mm
- Wide Lane Gate opening 850mm
- Suitable for special needs access



TECHNOLOGY:

- 12V DC
- Intelligent IR Beam detection

- Tailgating
- Direction Control
- Tampering



FEATURES:

Cabinets available:

- Brushed Stainless Steel 304 / 316
- · All external surfaces have a smooth brush finish
- Granite tops available on request
- Have indicators to indicate lane open/close and direction control

Glass:

8MM toughened glass SABS manufactured with CNC Technology

ProWing Speedstile Retractable_5.indd 2 2015/09/08 1:07 PM

SPECIAL DESIGN FEATURES FOR THE PRO WING® SPEEDSTILE RETRACTABLE

- The modular compact design with removable access door allows for easy installation and maintenance.
- The Pro Wing® Speedstile is designed with user safety in mind; there are no sharp edges or rough surfaces.
- All external surfaces have a smooth brush finish.
- Manufacturers warranty:
 - o 3 year mechanical warranty
 - o 1 year electrical warranty









ProWing Speedstile Retractable_5.indd 3 2015/09/08 1:07 PM



ELECTRICAL REQUIREMENTS:

Power: 220V AC ± 5%

Frequency: 50Hz

Power Consumption: 300W per lane

Power Fail Options: Glass wings released on power failure

to be moved into cabinet.

Fire Evacuation Mode: Gate will remain open when evacuation

trigger input is latched.

System Integration: Can integrate with any access control

or ticketing systems.

Cycle Time: Open 1 second

Close 1 second

Tamper Alarm: Internal buzzer and N/O Output to

security control room.

1. Tailgating

2. Crawling

3. Invalid direction

Operational Modes:

• Entry and Exit

Entry Only

Exit Only

Free Exit


Free Entry

Evacuation mode





PRO WING® SPEEDSTILE RETRACTABLE




*Due to continuous improvment, products and design are subject to change without notice.

ASSOCIATED PRODUCTS



PRO WING® SPEEDSTILE 2 NARROW 1 WIDE AND MOTORIZED SWING






 * Due to continuous improvment, products and design are subject to change without notice.

ProWing Speedstile Retractable_5.indd 6 2015/09/08 1:07 PM

ASSOCIATED PRODUCTS



PRO WING® SPEEDSTILE 180° SWING GATE





*Due to continuous improvment, products and design are subject to change without notice.

ProWing Speedstile Retractable_5.indd 7 2015/09/08 1:07 PM



ProWing Speedstile Retractable_5.indd 8 2015/09/08 1:07 PM